

UNIVERSITY OF TOLEDO FACILITIES AND CONSTRUCTION			
Section:	Administrative	Effective Date:	January, 1980
Subject:	Preventive Maintenance of Essential Equipment and Facilities	Standing Operating Procedure	ADM-53

Standard Operating Procedure

Routine condition monitoring and preventive maintenance activities will be performed on essential equipment and facilities.

Purpose

To promote essential equipment and facility system reliability and to identify potential problems before system failure.

Procedure

1. All departments shall route requests for purchases of fixed capital equipment to the Facilities Maintenance Department, where a determination will be made whether such equipment shall be included within the Preventive Maintenance Program. Requests for equipment that is directly related to patient care should be forwarded to Technology Support Services for evaluation.
2. The Facilities Maintenance Department shall review the particular application, maintenance requirements, and any available equipment incident history data to determine if such equipment should be placed within the Preventive Maintenance Program.
3. Once an evaluation of the equipment has been made, the supervisor responsible for maintenance of the equipment will identify the equipment upon arrival and set up appropriate service instructions and intervals.
4. The appropriate maintenance supervisor will ensure that the service intervals and instructions are entered into the Preventive Maintenance Program and provide proper instructions and training to the technicians who will be servicing the equipment. All training documentation to be kept in the Work Control Center.
5. Critical facility components, i.e.; roofs, handrails, medical gas outlets, etc, will also be evaluated for inclusion into the Preventive Maintenance Program and will be serviced upon review of their particular application, maintenance requirements and history data.

**UNIVERSITY OF TOLEDO
FACILITIES AND CONSTRUCTION**

Section:	Administrative	Effective Date:	January, 1980
Subject:	Preventive Maintenance of Essential Equipment and Facilities	Standing Operating Procedure	ADM-53

Authorized by:

Revision and/or Review Date:

Arlene Fell
Director, Environmental Services

Revision: June 1990
Reviewed: April 1991
Revision: April 1992
Reviewed: May 1993
Revision: June 1994
Reviewed: December 1995
Reviewed: April 1998
Revision: February 2001
Revision: January 2003
Revision: March 2006
Revision: July 2008

Cindy Klostermeier
Manager, Environmental Services

Pam Taite-Trail
Manager, Environmental Services

Jill Globensky
Manager, Environmental Services

Doug Peatee
Manager, Electrical Systems

Harvey Vershum
Director, Energy Management

Dan Adamski
Manager, Mechanical/General Maintenance

Doug Collins
Director, FM/Grounds SP Liaison

Tom Keiser
Mechanical Supervisor

John Potts
Structural Maintenance Manager

Alan Vaughn
Manager, Maintenance Facilities

Floyd Shoup
Director, Facilities Maintenance