


Name of Policy: <u>Confirmation of Donor Blood Type</u> Policy Number: 3364-108-304 Department: Pathology/Laboratory – Blood Bank Approving Officer: Associate Professor Director, Clinical Pathology/Hematopathology Responsible Agent: Core Lab Coordinator (Michelle Bartkowiak, MT(ASCP)SBB) Manager, Lab (Cynthia O'Connell) Scope: Pathology/Laboratory – Blood Bank	 Effective Date: 6/9/2008 Initial Effective Date: 10/1986
<input type="checkbox"/> New policy proposal <input type="checkbox"/> Major revision of existing policy	<input type="checkbox"/> Minor/technical revision of existing policy <input checked="" type="checkbox"/> Reaffirmation of existing policy

(A) Policy Statement


The Blood Transfusion Service must confirm the blood type of all RBC units received for transfusion.

(B) Purpose of Policy

To minimize the risk of hemolytic transfusion reactions and to optimize post-transfusion survival of donor red blood cells.

(C) Procedure

1. Enter unit information into computer using procedure in Computer Manual.
2. Perform the following tests according to procedure on all RBC units received for transfusion:
 - ABO type (forward type only)
 - D type on all Rh negative units. Tests for weak D are not required.
3. If there is a discrepancy between the test results and the unit label, repeat the test using another segment and ABO/Rh typing antiserum from a different manufacturer. Quarantine the blood until the discrepancy is resolved or return the unit to ARC. Document on Lab Occurrence form.
4. Segments from transfused donor units are retained for a minimum of 21 days. Wrap an ARC source number sticker around one segment from each unit and store the segment in a plastic bag marked with the receiving date and the date for discard (two months from received date). Store the plastic bag in the Zone 1 refrigerator-bottom right shelf. A new bag must be started daily and marked appropriately.
5. Donor units containing antibodies may be transfused to any patient, but it may be preferable to hold these units for transfusion to those who have been typed as negative for the corresponding antigen.

Approved by:  Robert L. Booth, Jr., M.D. Associate Professor Director, Clinical Pathology/Hematopathology Review/Revision Completed By: Michelle Bartkowiak, MT(ASCP)SBB	Review/Revision Date: 6/96 6/9/2008 7/96 2/99 8/00 11/03 1/05 1/2008 Next Review Date: 6/1/2011
Policies Superseded by This Policy:	

It is the responsibility of the reader to verify with the responsible agent that this is the most current version of the policy.