

Spotts, Tyler D

From: Spotts, Tyler D
Sent: Monday, March 23, 2026 12:04 PM
To: Carpenter, Debra J; Craig, Michael; DeShetler, Danielle; Easton, Brad Bradley; Flores, Angela; Helle, Tammy; Korzec, Todd James; Landis, Ryan; Lehnert, Christopher; Liedel, Bethany; Maffi, Lita; Mannebach, Justin John; Molesky, Corinne M; Mundy, Michelle Renee; Pandya, Sameer; Pannell, Stephanie Mary; Pastorek, Jennifer; Pescara, Umberto; Phillips, Jenna Elizabeth; Powlesland, Christina Michelle; Rizk, Natalie Najat; Skie, Martin; Staccone, Nicole Kathryn; Taylor, Jon Gary
Subject: Post Meeting Agenda Notes 3-20-26 - Procedural & Surgical Services CVA

Good Afternoon Everyone,

Below are the March post-meeting agenda notes.

Committee Updates

N/A

Agenda Items

- CVA Item Request Forms
 - CVA has developed two forms to assist in triaging requests. The Nursing and Patient Care and Procedural and Surgical Services forms. The below instructions will assist in navigating to the forms.
 1. Go to the UToledo Supply Chain Website ([Supply Chain Management](#))
 2. Scroll down to Clinical Value Analysis (CVA) and click on “Item Request Portal” button
 3. Determine which form is applicable to your request
 4. Fill out the applicable form and click submit

- Request for Review
 - Procedural Item: LungPacer
 - Clinical Champion: Dr. Cherry and Missy Kukiela
 - Vendor: Aeropace
 - Used for cases involving mechanical ventilation
- Used in place of: nothing, it’s a neurostimulation system used to assist the patient in weening off the ventilator.

Committee **recommends** a limited trial of the LungPacer, contingent on finance approval after reviewing reimbursement information. Tyler will work with Missy and Dr. Cherry to determine an acceptable trial duration. After trial phase Dr. Cherry and Missy will provide a debrief to the committee concerning its use in procedures and recommendation for continued use.

- Request for Review
 - Procedural Item: eCoin
 - Clinical Champion: Dr. El-Zawahry
 - Vendor: Valencia/Boston Scientific
 - Used for specific Neurostimulator cases involving Overactive Bladder (OAB)

- Used in place of: Interstim X or Axonics F15 (For these specific cases ONLY)

Committee **recommends** a limited trial of the eCoin, contingent on finance approval after reviewing reimbursement information. Tyler will work with Dr. El-Zawahry to determine an acceptable trial duration. After trial phase Dr. El-Zawahry will provide a debrief to the committee concerning its use in procedures and recommendation for continued use.

- *Request for Review*

- Procedural Item: Altaviva
- Clinical Champion: Dr. El-Zawahry
- Vendor: Medtronic
- Used for specific Neurostimulator cases involving Overactive Bladder (OAB)
- Used in place of: Interstim X or Axonics F15 (For these specific cases ONLY)

Committee **recommends** a limited trial of the Altaviva, contingent on finance approval after reviewing reimbursement information. Tyler will work with Dr. El-Zawahry to determine an acceptable trial duration. After trial phase Dr. El-Zawahry will provide a debrief to the committee concerning its use in procedures and recommendation for continued use.

Thanks,

Tyler Spotts, CVAHP, CPPB
Program Manager, Value Analysis

Supply Chain Management
Dowling Hall
Room 0124A-2
3000 Arlington Ave.
Toledo, OH 43614
Ph: 419.383.5715
tyler.spotts@utoledo.edu

