


Name of Policy: <u>Code Blue Carts (Contents & Locations)</u> Policy Number: 3364-100-45-10 Department: Hospital Administration Approving Officer: Chief Nursing Officer Responsible Agent: Chairman of Code Blue Committee Scope: The University of Toledo Medical Center and its Medical Staff	 Effective Date: 01/02/2024 Initial Effective Date: June 1, 1990
<input type="checkbox"/> New policy proposal <input type="checkbox"/> Major revision of <u>existing</u> policy	<input type="checkbox"/> Minor/technical revision of existing policy <input checked="" type="checkbox"/> Reaffirmation of existing policy

(A) Policy Statement

All code carts will be uniformly and fully equipped throughout the University of Toledo Medical Center in order to implement cardiorespiratory and cerebral resuscitation.

(B) Purpose of Policy

The purpose of the code cart policy is to standardize the appearance and contents of all code carts so that they are fully functional and easily recognizable to those persons attempting cardiorespiratory and cerebral resuscitation.

(C) Procedure

1. All code carts will be standardized as bright red carts.
2. Each code cart should have a monitor-defibrillator which will not be removed from the code cart except for cardiorespiratory resuscitation.
3. The locations of the code cart will be determined by the Medical Executive Committee with input from the Code Blue Committee (see appendix A).
4. All code carts will be identical and therefore interchangeable.
5.
 - a. Nursing will be responsible to check that the breakaway lock is intact on the code cart, oxygen tank is at an adequate psi for use, and presence of the backboard on the cart. The function of the defibrillator/monitor machines will be checked according to the Lifepak 20 Operators Checklist. If there is a Trach Re-Insertion Box this breakaway lock is also checked for integrity and presence of Emma (End Tidal CO2 Device). If wall ambu box is nearby the integrity of that breakaway lock is also checked. If deficiencies are discovered, they will be corrected by Nursing or notification to the responsible department will occur.
 - b. Respiratory Care will be responsible to check that the breakaway lock on the Broselow cart is intact. If deficiencies are discovered, they will be corrected by Respiratory Care.
 - c. Due to access restrictions in the following areas, CVL, OR, Cardiac Rehab Phase II & III (Morse Center), Medical Mall, Endoscopy Unit, Outpatient Physical Therapy and George Isaac Center, the daily checks described in (a) will be the responsibility of department management.
 - d. It will be the responsibility of department to check the function of the defibrillator/monitor machines on a daily basis in the acute care areas that provides care to patients on a 24/7 basis. Other patient care areas that have operational hours that are not 24/7 will have the defibrillator/ monitor machines checked during normal hours of operation. If a defective machine is discovered, it will be exchanged.
6. After use, the code cart will be restocked by Pharmacy and Central Service. Those individuals doing the restocking will sign their names on an inventory (check-off list). The check-off list will remain in those departments.
7. All code carts will be checked by Pharmacy and Respiratory Care at six-month intervals to check for any outdated or missing items.
8. The list of equipment and drugs in the code cart will be reviewed annually by members of the Code Blue Committee (see appendices B and C).

9. It is the responsibility of Respiratory Care to exchange the code cart immediately at the conclusion of a code, and to take the used cart to Pharmacy.

<p>Approved by:</p> <p>/s/ _____</p> <p>Kurt Kless, MSN, MBA, RN, NE-BC Chief Nursing Officer-UTMC</p> <p style="text-align: right;">Date _____</p> <p><i>Review/Revision Completed By:</i></p> <p style="text-align: center;"><i>Chairman, Code Blue Committee Nursing Administration</i></p>	<p>Review/Revision Date:</p> <p>10/14/92 6/1/2017 4/14/93 6/1/2020 10/13/93 1/2/2024 9/11/96 7/14/99 7/10/02 2/12/03 7/13/05 8/10/05 10/22/2008 4/27/2011 5/25/2011 5/1/2014</p> <hr/> <p>Next Review Date: 1/2/2027</p>
<p>Policies Superseded by This Policy: 7-45-10 Code Blue Carts (Contents & Locations)</p>	

Appendix A:

Cart Location	Cart #	Lock #	Lock #
Morse Center			
Pulmonary Function			
Respiratory			
Respiratory			
Respiratory			
Respiratory			
Respiratory			
Respiratory			
The George: Endoscopy			
The George: OR			
The George: Recovery			
ED			
ED			
ED			
ED			
CT			
CVL Holding (Radiology)			
Cath Lab #1			
Cath Lab #2			
Cath Lab #3			
Heart and Vascular (Stress Lab)			
Heart and Vascular (Stress Lab)			
Medical Pavilion			
Ortho Clinic			
PT/OT Gym			
Hemodialysis			
Infusion Center			
Dental Clinic			
PreOp			
OR			
OR			
OR			
PACU			
3A			
3B			
3CD			
3CD			
MICU			
MICU			
4AB			
4CD			

Date:

5A			
5B			
5CD			
6AB			
Rehab (6CD)			

Updated: 3/3/20

Appendix B:

Par Inventory Worksheet

IC281 Date: 04/17/20 JOB SUBMISSION PARAMETERS
Time: 14:57

User Name: INFORBC\wmawhorter
Job Name: IC281
Step Nbr: 1

Company: 1000 THE UNIVERSITY OF TOLEDO
Report Group:
-or-
Par Location: CODE1 CDS:Adult/Ped Code Cart
Sequence Option: S Shelf

Par Inventory Worksheet

IC281 DATE 04/17/20 Company 1000 - THE UNIVERSITY OF TOLEDO Page 1
 Time 14:57 Par Inventory Worksheet

Par Location : CODE1 - CDS:Adult/Ped Code Cart

Seq	Shelf Location	Item/Description	Chargeable	Charge Nbr	Manufacturer Code Div/Nbr	Par Level	Count	UOM
10	D20001	71185 STOPCOCK, W/, 4WAY , 60, ROTATION	N 500EA/CS		BECD 394910	2.0000		EA
12	D20002	71180 SET, Y EXTENSION, 2 VALVE, 9.5IN	N 100 EA/CS		ALDS IVCO 20019E	1.0000		EA
14	D20003	71403 NEEDLE, FILTER, BLUNT	N !ExpDate!		BECD 305211	2.0000		EA
20	D20004	71186 SET, INFUSION, 0.2 FILTER	N LATEX FREE, 20 EA/CS		ALDS CARE 10010454	1.0000		EA
22	D2005	71172 SET, SOLUTION, 2-PORT SMARTSITE	N 20 EA/CS		ALDS IVCO 2420-0500	2.0000		EA
30	D30001	2141 PAD, ALCOHOL PREP, 70%	N 200 EA/BX		DYAD HCS0206	1.0000		BX
40	D30002	88139 DEVICE, BLOOD TRANSFER W/LUER	N 200EA/CS		SMTH 96002	2.0000		EA
70	D30003	71399 NEEDLE, BLUNT FILL	N !ExpDate!		BECD 305180	6.0000		EA
224	D30005	88140 SET, BLOOD COLLECTION, 21GX3/4"	N 200/CS		SMTH 982112D	1.0000		EA
222	D30006	88142 SET, BLOOD COLLECTION, 25GX3/4"	N 200EA/CS		SMTH 982512D	1.0000		EA
130	D30011	53850 CATHETER, IV, SAFETY, 22GX1"	N !ExpDate!		BBRN BRON 4252519-02	2.0000		EA
140	D30012	53854 CATHETER, IV, SAFETY, 16GX1-1/4"	N IV CATH SAFETY 16G 1-1/4", !Exp		BBRN BRON 4252586-02	2.0000		EA
150	D30013	53853 CATHETER, IV, INTROCAN, 18X1.25	N 50/BX; 200/CS !ExpDate!		BBRN BRON 4252560-02	4.0000		EA
160	D30014	53851 CATHETER, IV, INTROCAN, 20X1.25	N 50/BX; 200/CS !ExpDate!		BBRN BRON 4252535-02	4.0000		EA
200	D30018	50078 NEEDLE, SAFETY, 22GX1-1/2"	N 100 EA/BX; 1200 EA/CS		BECD 305763	6.0000		EA
210	D30019	2192 SYRINGE, LUER-LOK, 30ML	N 56 EA/BX 224 EA/CS		BECD BAPA 302832	2.0000		EA
170	D30020	88254 KIT, IV START	N 50/CS		DYAD HCS01IV-134	2.0000		EA

Par Inventory Worksheet

IC281 DATE 04/17/20 Company 1000 - THE UNIVERSITY OF TOLEDO Page 2
 Time 14:57 Par Inventory Worksheet

Par Location : CODE1 - CDS:Adult/Ped Code Cart

Seq	Shelf Location	Item/Description	Chargeable	Charge Nbr	Manufacturer Code Div/Nbr	Par Level	Count	UOM
230	D30021	2194 SYRINGE, CATHETER TIP, 2OZ	N	SYRINGE CATHETER TIP 60CC	BECD BAPA 309620	1.0000		EA
240	D30022	86586 SYRINGE, SALINE, 10ML	N		BECD 306547	8.0000		EA
250	D30023	71402 NEEDLE, BLUNT FL, W10ML SYRINGE	N		BECD 305064	6.0000		EA
269	D30024	87842 NEEDLE, ABG, SAFETY, 22GX1	N	800/CS	SMTH BVNA 4289	4.0000		EA
270	D30025	87843 KIT, PROVENT, 3CC, ABG, 3CC	N	200EA/CS	SMTH BVNA 4598P-2	4.0000		EA
280	D30026	2224 TOURNIQUET, NON-LATEX, 18X1"	N	250 EA/BX; 1000 EA/CS	DYAD HCS5003A	2.0000		EA
290	D30027	1052 VACUTAINER, BLUE, W/ADD, 2.7ML	N	100EA/PK, 10pk/CS	BECD VASY 363083	1.0000		EA
300	D30028	1053 VACUTAINER, LAVENDER, EDTA, 4ML	N	100 EA/BX; 10 BX/CS	BECD VASY 367861	1.0000		EA
310	D30029	1046 VACUTAINER, RED, N/ADD, 6ML	N		BECD VASY 367815	1.0000		EA
320	D30030	1049 VACUTAINER, GRN, LITH HEP, 6ML	N	100 EA/PK, 10 PK/CS	BECD VASY 367886	1.0000		EA
330	D30031	3501 VACUTAINER, GRAY, 6ML	N	BX/100	BECD VASY 367925	1.0000		EA
331	D30031A	60870 VACUTAINER, PST, LT GRN, 4.5ML	N		BECD VASY 367962	1.0000		EA
340	D30032	2142 SPONGE, GAUZE, 8-PLY, STER, 2X2"	N	2 EA/PK; 1500 PK/CS	MDLN NON21420	6.0000		EA
360	D30034	829 TAPE, SILK DURAPORE, 2"X10YD	N	2" SILK TAPE, 6 EA/BX	3MHC MDSU 1538-2	1.0000		EA
60	D3004	60500 IODINE, POVIDONE, SWAB, 10%	N	50 EA/BX !ExpDate!	PDI S41350	3.0000		EA
370	D40001	6372 TAPE, TWILL, WHITE, 1/2"	N	TWILL TAPE	MDLN MDT221183	2.0000		EA
380	D40002	17421 AIRWAY, BERMAN, INFANT, 40MM	N		VTLS 2540	1.0000		EA

Par Inventory Worksheet

IC281 DATE 04/17/20
 Time 14:57

Company 1000 - THE UNIVERSITY OF TOLEDO
 Par Inventory Worksheet

Page 3

Par Location : CODE1 - CDS:Adult/Ped Code Cart

Seq	Shelf Location	Item/Description	Chargeable	Charge Nbr	Manufacturer Code Div/Nbr	Par Level	Count	UOM
390	D40003	17360 AIRWAY, BERMAN, CHILD, 60MM	N		VTLS 2560	1.0000	_____	EA
400	D40004	17422 AIRWAY, BERMAN, ADULT, SM, 80MM	N		VTLS 2580	1.0000	_____	EA
410	D40005	50 AIRWAY, BERMAN, ADULT, MED, 90MM	N		VTLS 2590	1.0000	_____	EA
420	D40006	10977 AIRWAY, BERMAN, ADULT, LG, 100MM	N		VTLS 2500EU	1.0000	_____	EA
430	D40007	14468 SURGILUBE LUBRICANT, 3G	N 144 EA/BX		MDLN MDS032273Z	1.0000	_____	EA
440	D40008	1813 CATHETER, SUCTION, 72HR, ET	N		HALY 227	1.0000	_____	EA
450	D40009	3291 MASK, NON-REBREATHER	N		HRCI 1060	1.0000	_____	EA
460	D40010	35290 CANNULA, NASAL, SINGLE USE	N 50 EA/CS		HRCI 1103	1.0000	_____	EA
470	D40011	1734 AIRWAY, NASAL, 26FR, 6.5MM	N		TYCO KHC 8888247023	1.0000	_____	EA
480	D40012	1735 AIRWAY, NASAL, 28FR, 7.0MM	N		TYCO KHC 8888247031	1.0000	_____	EA
490	D40013	1736 AIRWAY, NASAL, 30FR, 7.5MM	N		TYCO KHC 8888247049	1.0000	_____	EA
500	D40014	1737 AIRWAY, NASAL, 32FR, 8.0MM	N		TYCO KHC 8888247056	1.0000	_____	EA
510	D40015	1738 AIRWAY, NASAL, 34FR, 8.5MM	N		TYCO KHC 8888247064	1.0000	_____	EA
520	D40016	3263 SOLUTION, SALINE, 3ML	N 100EA/BX		CARE 2200	4.0000	_____	EA
530	D40017	2264 BLADE, TONGUE, STERILE, 6"	N TONGUE BLADE, 100 EA/BX; 1000/CS		MDLN MDS202075	4.0000	_____	EA
540	D40018	1791 KIT, CATHETER, SUCTION, 10FR	N SUCTION CATHETER 10FR		TYCO KHC 31079	1.0000	_____	EA
550	D40019	1812 KIT, CATHETER, SUCTION, 14FR	N SUCTION CATHETER 14FR		TYCO KHC 31479	1.0000	_____	EA

Par Inventory Worksheet

IC281 DATE 04/17/20 Company 1000 - THE UNIVERSITY OF TOLEDO Page 4
 Time 14:57 Par Inventory Worksheet

Par Location : CODE1 - CDS:Adult/Ped Code Cart

Seq	Shelf Location	Item/Description	Chargeable	Charge Nbr	Manufacturer Code Div/Nbr	Par Level	Count	UOM
560	D50001	2230 TUBE,SALEM SUMP,16FR,48"	N	SALEM SUMP 16FR	TYCO KHC 8888266130	1.0000	_____	EA
570	D50002	2231 TUBE,SALEM SUMP,18FR,48"	N	SALEM SUMP 18FR	TYCO KHC 8888266148	1.0000	_____	EA
580	D50003	2146 SPONGE,GAUZE,16-PLY,STER,4X4"	N	KERLIX BOAT,128 TY/CS	COVI 7605-	1.0000	_____	BX
590	D50004	53722 GLOVE,NITRILE,STERILE,SM	N	50 PR/BX	MDLN MDS194085	1.0000	_____	PR
600	D50005	53723 GLOVE,NITRILE,STERILE,MED	N	50 PR/BX	MDLN MDS194086	1.0000	_____	PR
610	D50006	53724 GLOVE,NITRILE,STERILE,LG	N	50 PR/BX; 200 PR/CS	MDLN MDS194087	1.0000	_____	PR
620	D50007	11176 PAD,DEFIB,9X4-1/2"	N	2 EA/PR - 10 PK/BX	3MHC MDSU 2345N	1.0000	_____	PR
630	D50008	54110 ELECTRODE,ECG,DIAPHORETIC,5PK	N	5EA/PK	TYCO KHC 31115788	1.0000	_____	PK
650	D50010	64143 PAD,PACING/DEFIB,ADULT	N	QUICK-COMBO	MDIN 11996-00017	2.0000	_____	EA
660	D50011	48627 VALVE,PEEP	N		SMTH 8501	1.0000	_____	EA
670	D50012	17715 PACEMAKER,MAGNET	N		BOSC 666860-301	1.0000	_____	EA
680	D50013	6276 MASK,ANESTHESIA,ADULT,MED	N	20EA/CS	CARE 2K8054	1.0000	_____	EA
690	D50014	48626 BAG,RESUSCITATOR,MANUAL	N		AMBU 520212000	1.0000	_____	EA
700	D50015	88402 ORAL,ATTACHMENT-DEVICE	N	12EA/BX	HOIN 9799	1.0000	_____	EA
710	D50016	61295 FLOWMETER,W/NIPPLE ADAPTER	N	CODE CART	MCOT CODE CART	1.0000	_____	EA
720	D50017	2245 WASHBASIN,50 EA/CS	N		MDGN H360-05	1.0000	_____	EA
740	D50019	312 BATTERY,ALKALINE,"C"	N	12 EA/CT	DURA PC1400	2.0000	_____	EA

Par Inventory Worksheet

IC281 DATE 04/17/20 Company 1000 - THE UNIVERSITY OF TOLEDO Page 5
 Time 14:57 Par Inventory Worksheet

Par Location : CODE1 - CDS:Adult/Ped Code Cart

Seq	Shelf Location	Item/Description	Chargeable	Charge Nbr	Manufacturer Code Div/Nbr	Par Level	Count	UOM
750	D50020	2260 BAG, ZIPLOCK, 6"X9"	N 100 EA/PK ; 10 PK/CS		ASBC B15	1.0000		PK
760	D50021	9543 HEMOSTAT, MOSQUITO, STRAIGHT, 5"	N 20 EA/BX; 100 EA/CS		MDLN DYND04039	1.0000		EA
770	D50022	61280 FORCEP, MCGILL, ADULT-CODECART	N CODE CART		MCOT CODE CART	1.0000		EA
780	D50023	81071 BLADE, LARYNGOSCOPE, MILLER, 2	N 20 EA/BX		TFLX 4550002	1.0000		EA
790	D50024	81072 BLADE, LARYNGOSCOPE, MILLER, 3	N 20 EA/BX		TFLX 4550003	1.0000		EA
840	D50029	3333 TUBE, ENDOTRACH, CUFFED, 8.5MM	N		MMIN 86114	1.0000		EA
850	D50030	3332 TUBE, ENDOTRACH, CUFFED, 8.0MM	N		MMIN 86113	2.0000		EA
860	D50033	3329 TUBE, ENDOTRACH, CUFFED, 6.5MM	N		MMIN 86110	2.0000		EA
890	D50034	69755 BAG, ICE, ZIPLOCK, 12X15'	N 100 EA/PK; 5 PK/CS		HCLG 7616	1.0000		PK
891	D50035	81067 BLADE, LARYNGOSCOPE, MAC, 3	N 20 EA/BX		TFLX 4551003	1.0000		EA
892	D50036	81068 BLADE, LARYNGOSCOPE, MAC, 4	N 20 EA/BX		TFLX 4551004	1.0000		EA
893	D50037	1908 STYLET, INTUBATING, W/LUB, 14FR	N 20 EA/BX		MALN 85865	2.0000		EA
894	D50038	1692 TUBE, SUCTION, YANKAUER, REG	N YANKAUER REG		ALEG AVM K61	1.0000		EA
895	D50039	3331 TUBE, ENDOTRACH, CUFFED, 7.5MM	N		MMIN 86112	2.0000		EA
896	D50040	3330 TUBE, ENDOTRACH, CUFFED, 7.0MM	N		MMIN 86111	2.0000		EA
897	D50041	3357 EASY CAP	N		NPB EASYCAP II6	1.0000		EA
898	D50042	61282 LARYNGOSCOPE HANDLE, ADULT	N CODE CART		MCOT CODE CART	1.0000		EA

Par Inventory Worksheet

IC281 DATE 04/17/20 Company 1000 - THE UNIVERSITY OF TOLEDO Page 6
 Time 14:57 Par Inventory Worksheet

Par Location : CODE1 - CDS:Adult/Ped Code Cart

Seq	Shelf Location	Item/Description	Chargeable	Charge Nbr	Manufacturer Code Div/Nbr	Par Level	Count	UOM
900	D50043	2180 SYRINGE, LUER-LOK, 10ML	N	SYRINGE LL 10ML, 200 EA/BX	BECD BAPA 302995	2.0000		EA
903	D60001	29133 CANISTER, SUCTION, 1200CC	N		CRD 65651-395	1.0000		EA
910	D60003	2014 MASK, SHIELD, SPLASHGUARD, ORANGE	N	25 EA/BX - 4 BX/CS	KICL 48247	4.0000		BX
920	D60004	83318 YELLOW CODE CART TUBE	N	1 Tube per Code Cart	MCOT CODE CART	1.0000		EA
930	D60005	83319 LAB SHEET & BIOHAZARD BAG	N	1 Lab Sheet & Biohazard Bag	MCOT CODE CART	1.0000		EA
940	D60006	61291 CLIPBOARD FOR CODECART	N	CODE CART	MCOT CODE CART	1.0000		EA
950	D60007	61292 FLOWSHEET, CODE BLUE-CODECART	N	CODE CART	MCOT CODE CART	3.0000		EA
960	D60008	61293 EVALUATON, CODE BLUE-CODECART	N	CODE CART	MCOT CODE CART	3.0000		EA
970	D60009	61294 WALL SUCTION DEVICE-CODECART	N	CODE CART	MCOT CODE CART	1.0000		EA
980	D60010	20609 GLOVE, NITRILE, ICE, MED	N	250 EA/BX; 10 BX/CS	DYAD HCS6611	1.0000		BX
990	D60011	2022 MASK, ISOLATION, HI-PERFORMANCE	N	50 EA/BX - 10 BX/CS	KICL 47117	1.0000		BX
1000	D60012	2381 GLASSES, SAFETY	N	10 EA/BX	HALY SV50A	1.0000		EA
1010	D60013	3738 PAPER, THERMAL, EKG, 1-CHANNEL	N	10 RL/BX	TYCO KHC 10632900	1.0000		RL
962	D6008A	87172 ALGORITHM, ACLS, CODE CART	N	1ea/code cart	CDS MIS CODE CART SUPPLY	1.0000		EA

Appendix C:

ATROPINE SYRINGE 0.1mg/mL 10ml ATROP1SY QTY:3		SODIUM BICARBONATE 1meq/1mL 50mL SODISY50 QTY:3				EPINEPHRINE SYRINGE 0.1mg/mL 10mL EPINSY QTY:10				
CALCIUM CHLORIDE SYRINGE 100mg/mL 10mL CALCCA QTY:3		Magnesium Sulfate 500mg/mL 2mL QTY:2 MAGNP		Propranolol 1mg/ml 1ml QTY:2 INDEP	Flumazenil 0.1mg/mL 5mL QTY:1 MAZIP5	Amiodarone 150mg/3mL 3ml QTY:3 CORDPI	Naloxone 0.4mg/ml 10mL QTY:1 NARCP4	0.9% Sod. Chloride PF 10mL QTY:4 SCI1	Adenosine 3mg/mL QTY:3 ADENP	Lidocaine Syringe 20mg/ml 5ml LIDOP100 QTY:2
<p>CODE CART DRAWER #1</p>										

CODE CART DRAWER #2

5% Dextrose in Water 250mL	1
0.9% Sodium Chloride 1000mL	2
Dopamine 400mg/ 250mL Premix	1
Lidocaine 2g/250mL Premix	1
Yellow Labels	4

CODE CART DRAWER #4

Lidocaine Jelly 2% 5mL	1
------------------------	---

CODE CART DRAWER #2

5% Dextrose in Water 250mL	1
0.9% Sodium Chloride 1000mL	2
Dopamine 400mg/ 250mL Premix	1
Lidocaine 2g/250mL Premix	1
Yellow Labels	4

CODE CART DRAWER #4

Lidocaine Jelly 2% 5mL	1
------------------------	---