Extubation of Artificial Airways Name of Policy: **Policy Number:** 3364-136-07-05 THE UNIVERSITY OF TOLEDO MEDICAL CENTER **Department:** Respiratory Care Approving AVP Patient Care Services/ Officer: Chief Nursing Officer Responsible Director, Respiratory Care Agent: Effective Date: August 1, 2019 Scope: The University of Toledo Medical Center Initial Effective Date: 9/26/1990 Respiratory Care Department New policy proposal Minor/technical revision of existing policy Major revision of existing policy Reaffirmation of existing policy

(A) Policy Statement

The extubation of endotracheal tubes, upon written physician order, will be performed with the utmost precautions for patient safety by the Respiratory Care Practitioner performing the procedure. In addition, two patient identifiers will always be used with this and any other patient care procedure. The specific guidelines for extubation of endotracheal tubes will be followed according to the procedures outlined.

(B) Purpose of Policy

To insure that practitioner maintains high safety and precautionary standards while performing extubation of endotracheal tubes.

(C) Procedure

- 1. Equipment needed for extubation of endotracheal tubes are as follows:
 - a. Oxygen device per physician order
 - b. 10 ml syringe
 - c. Endotracheal suction equipment, including an oral suction device
 - d. Ambu bag and mask
 - e. "Chux" to cover patient's chest to prevent sputum/blood from soiling the patient or the bed
- 2. The procedure for endotracheal tube removal will be as follows:
 - a. Set-up the oxygen device at the requested FiO2 and proper flow
 - b. Have an Ambu bag and mask ready and available
 - c. Explain the procedure to the patient and family, if present
 - d. If there has been excessive secretions, suction patient per policy # 3364-136-04-04
 - e. Suction orally
 - f. Deflate the endotracheal tube cuff and suction orally again if needed
 - g. Consider presence or absence of air leak around deflated cuff-notify physician of absence
 - h. Release endotracheal tube securing device. Remove the endotracheal tube. Suction oral pharynx as needed
 - i. Place the oxygen device on patient at the FiO2 ordered by the physician
 - j. Pulse oximetry and arterial blood gases will be performed at the frequency ordered by the physician

Approved by:		Review/Revision Date: 08/31/1999
		03/13/2001
/s/		01/06/2005
Michael J. Taylor	Date	11/26/2007
Director, Respiratory Care		09/22/2010
		08/14/2012
		12/01/2015
/s/		08/01/2019
Monecca Smith	Date	
AVP Patient Care Services/Chief Nursing Officer		
Review/Revision Completed By: Director, Respiratory Care		Next Review Date: August 1, 2022
Policies Superseded by This Policy:		